	_
- :	
- A	

L Number	Hits	Search Text	DB	Time stamp
1	2	("6628413").PN.	USPAT;	2004/08/31
			US-PGPUB;	10:08
	ļ		EPO; JPO;	
			DERWENT;	
_	4	(("5845008") or ("5621810") or	IBM_TDB USPAT	2004/08/18
	1	("6091844") or ("5390003")).PN.	JULAI	15:55
-	362	(difficult\$5 error\$3) adj3 (read\$5	USPAT;	2004/08/18
		scan\$6) with (imag\$5 original\$5) with	US-PGPUB;	16:16
		<pre>(print\$5 copy adj1 machine\$5 facsimile\$5)</pre>	EPO; JPO;	
			DERWENT; IBM TDB	
_	240	((difficult\$5 error\$3) adj3 (read\$5	USPAT;	2004/08/18
		scan\$6) with (imag\$5 original\$5) with	US-PGPUB;	16:44
		(print\$5 copy adj1 machine\$5	EPO; JPO;	
		facsimile\$5)) and @ad<20000131	DERWENT;	
_	59	(difficult\$5 error\$3) adj3 (read\$5	IBM_TDB USPAT;	2004/08/18
		scan\$6) with (imag\$5 original\$5) with	US-PGPUB;	16:30
		(print\$5 copy adj1 machine\$5 facsimile\$5)	EPO; JPO;	
		with (position\$5)	DERWENT;	
_	32	//diffigul+\$5 orror\$2\ adi2 /mad\$5	IBM_TDB USPAT;	2004/08/19
-	34	((difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with	USPAT; US-PGPUB;	10:46
		(print\$5 copy adj1 machine\$5 facsimile\$5)	EPO; JPO;	
		with (position\$5)) and @ad<20000131	DERWENT;	
		//#5622020#\	IBM_TDB	0004/00/70
-	12	(("5633932") or ("5502575") or ("6111953") or ("5909602") or ("6515755")	USPAT; US-PGPUB;	2004/08/18
		or ("6427020")).PN.	EPO; JPO;	10.32
			DERWENT;	
			IBM_TDB	
-	10	(printer\$5 copy adj2 machine\$5	USPAT;	2004/08/19
		<pre>facsimile\$5) with ((difficult\$5 error\$3 problem\$5) adj3 (read\$5 scan\$6) with</pre>	US-PGPUB; EPO; JPO;	15:13
		(imag\$5 near4 original\$5))	DERWENT;]
			IBM_TDB	
-	1	(re-input\$5 re-scan\$5) with (image\$5 with	USPAT;	2004/08/19
		(position\$5 adj2 error))	US-PGPUB; EPO; JPO;	14:29
			DERWENT;	
			IBM_TDB	
-	10	(re-input\$5 re-scan\$5) with (image\$5)	USPĀT;	2004/08/19
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	14:39
		facsimile\$5)	EPO; JPO; DERWENT;	
	-		IBM TDB	
-	6	("5465172").PN.	USPAT;	2004/08/19
			US-PGPUB;	14:39
			EPO; JPO; DERWENT;	
		·	IBM TDB	
-	2	(difficult\$5 error\$3) adj3 (read\$5	USPAT;	2004/08/19
		scan\$6) with (imag\$5 original\$5) with	US-PGPUB;	15:11
	1	<pre>(print\$5 copy adj1 machine\$5 facsimile\$5) same (banknote\$5 watermark\$5 securit\$5)</pre>	EPO; JPO;	
		same (naminocedo marenmariso securitos)	DERWENT; IBM TDB	
_	2	("5909602").PN.	USPAT;	2004/08/19
1			US-PGPUB;	15:13
1			EPO; JPO;	
]			DERWENT; IBM TDB	
_	8	read\$5 scan\$5) near2 again\$3 with	USPAT;	2004/08/19
		(image\$5 near2 original\$5) with	US-PGPUB;	16:20
		(printer\$5 copy adj2 machin\$5	EPO; JPO;	
1		facsimile\$5)	DERWENT;	
L			IBM TDB	I

	,			,
-	0	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) same (read\$5 scan\$5) near2	US-PGPUB;	16:27
	 .	again\$3 with (image\$5) with (position\$5	EPO; JPO;	
		adj2 (error\$5 defect\$5 failur\$5))	DERWENT;	l
			IBM_TDB	
-	0	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (re-read\$5 re-scan\$5)	US-PGPUB;	16:28
		with (position\$5 adj2 (error\$5 defect\$5	EPO; JPO;	
		failur\$5))	DERWENT;	
			IBM_TDB	
-	6	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (re-read\$5 re-scan\$5)	US-PGPUB;	16:29
		with (error\$5 defect\$5 failur\$5)	EPO; JPO;	
			DERWENT;	
		1	IBM_TDB	0004/00/10
_	4	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (read\$5 input\$5 scan\$5)	US-PGPUB;	16:31
		adj2 (again\$5) with (error\$5 defect\$5	EPO; JPO;	
		failur\$5)	DERWENT;	
		/www.manos	IBM_TDB	2004/00/10
-	91	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (read\$5 input\$5 scan\$5)	US-PGPUB;	16:49
		adj2 (again\$5) same (image\$5 document\$5)	EPO; JPO; DERWENT;	
			i i	
l _	70	Invintants conv. adi2 machines	<pre>IBM_TDB USPAT;</pre>	2004/08/19
-	l '0	<pre>(printer\$5 copy adj2 machin\$5 facsimile\$5) with (read\$5 input\$5 scan\$5)</pre>	USPAT; US-PGPUB;	16:32
ŀ		racsimile\$5) with (read\$5 input\$5 scan\$5) adj2 (again\$5) with (image\$5 document\$5)	EPO; JPO;	10.34
		adjz (againss) with (imagess documentss)	DERWENT;	
			IBM TDB	
	52	((printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
] 32	facsimile\$5) with (read\$5 input\$5 scan\$5)	US-PGPUB;	16:50
	ŀ	adj2 (again\$5) with (image\$5 document\$5))	EPO; JPO;	10.50
•		and @ad<20000131	DERWENT;	
		and ead(20000131	IBM TDB	
_	22	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
	"2"	facsimile\$5) with (scan\$5) adj2 (again\$5)	US-PGPUB;	16:51
İ		with (image\$5 document\$5)	EPO; JPO;	10101
		with (imagers decamend)	DERWENT;	
			IBM TDB	
_	18	((printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (scan\$5) adj2 (again\$5)	US-PGPUB;	16:58
		with (image\$5 document\$5)) and	EPO; JPO;	
	1	@ad<20000131	DERWENT;	
	1		IBM_TDB	
_	0	(printer\$5 copy adj2 machin\$5	USPĀT;	2004/08/19
		facsimile\$5) with (scan\$5) adj2 (again\$5)	US-PGPUB;	16:52
		same (position\$5 adj2 error)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	(scan\$5 adj1 again) with (document\$5)	USPAT;	2004/08/19
	1	with (position\$5)	US-PGPUB;	16:57
	1		EPO; JPO;	
			DERWENT;	
	1	/	IBM_TDB	0004/00/10
-	245	(re-scan\$5) with (image\$5)	USPAT;	2004/08/19
			US-PGPUB;	16:58
			EPO; JPO;	
			DERWENT;	
1_		/re-scan\$5) adi2 /imaga\$5)	IBM_TDB	2004/08/19
_	57	(re-scan\$5) adj2 (image\$5)	USPAT; US-PGPUB;	16:58
			EPO; JPO;	10.50
			DERWENT; IBM TDB	
_	43	((re-scan\$5) adj2 (image\$5)) and	USPAT;	2004/08/19
		((1e-scan33) adj2 (1mage337) and	US-PGPUB;	17:01
			EPO; JPO;	- ' ' ' -
			DERWENT;	
	ļ		IBM TDB	
	<u> </u>	<u> </u>		·

-	2	(re-input\$5	re-scan\$5)	with	(image\$5	

-	2	(re-input\$5 re-scan\$5) with (image\$5	USPAT;	2004/08/19
		document\$5) with (watermark\$5 securit\$5)	US-PGPUB; EPO; JPO;	17:02
			DERWENT; IBM TDB	
-	4	(re-input\$5 re-scan\$5) same (image\$5	USPAT;	2004/08/19
		document\$5) with (watermark\$5 securit\$5)	US-PGPUB; EPO; JPO;	17:02
			DERWENT;	
_	6	(re-input\$5 re-scan\$5) same (image\$5	IBM_TDB USPAT;	2004/08/19
		document\$5) same (watermark\$5 securit\$5)	US-PGPUB;	17:03
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	2	("5462172").PN.	USPAT; US-PGPUB;	2004/08/19
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6	("5465172").PN.	USPĀT;	2004/08/19
			US-PGPUB; EPO; JPO;	17:04
			DERWENT; IBM TDB	
-	4	5465172.URPN.	USPAT	2004/08/19
_	2	("5390003").PN.	USPAT;	17:04 2004/08/19
			US-PGPUB;	17:17
			EPO; JPO; DERWENT;	
	8	2 212501	IBM_TDB	2004/00/10
_	8	2-210591	USPAT; US-PGPUB;	2004/08/19 17:25
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	24	"210591"	USPAT; US-PGPUB;	2004/08/19 17:26
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	jp-2210591-\$.did.	USPAT; US-PGPUB;	2004/08/19
			EPO; JPO;	
			DERWENT; IBM TDB	
-	2	jp-02210591-\$.did.	USPĀT;	2004/08/19
			US-PGPUB; EPO; JPO;	17:28
			DERWENT; IBM TDB	
-	2	("5426710").PN.	USPĀT;	2004/08/19
			US-PGPUB; EPO; JPO;	17:28
		·	DERWENT;	
_	0	(print\$5 adj2 (prohibit\$5 prevent\$5) with	IBM_TDB USPAT;	2004/08/19
		(watermark\$5 pattern\$5 securit\$5 banknot\$5 money\$5)) same (re-scan\$5	US-PGPUB; EPO; JPO;	17:30
		re-read\$5 re-input\$5)	DERWENT;	
_	0	 (print\$5 adj2 (prohibit\$5 prevent\$5) same	IBM_TDB USPAT;	2004/08/19
		(watermark\$5 pattern\$5 securit\$5	US-PGPUB;	17:31
		banknot\$5 money\$5)) same (re-scan\$5 re-read\$5 re-input\$5)	EPO; JPO; DERWENT;	
_	12	(re adj1 scan\$5) with (image\$5) with	IBM_TDB USPAT;	2004/08/19
	12	(re adji scanss) with (imagess) with (error\$5 difficult\$5)	US-PGPUB;	17:46
			EPO; JPO; DERWENT;	
			IBM_TDB	

Search History 8/31/04 10:37:26 AM Page 3

-	1394	(detect\$5 determin\$5) with (image\$5	USPAT;	2004/08/19
		document\$5) adj2 (position\$5) with	US-PGPUB;	17:47
	-	scan\$5	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	215	(detect\$5 determin\$5) adj2 (position\$5)	USPAT;	2004/08/19
		with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
			EPO; JPO;	
Į			DERWENT;	
			IBM TDB	
_	215	(detect\$5 determin\$5) adj2 (position\$5)	USPAT;	2004/08/19
		with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
		same (position\$5)	EPO; JPO;	
		Same (positiones)	DERWENT;	
			IBM TDB	
_	l 0	(detect\$5 determin\$5) adj2 (position\$5)	USPAT;	2004/08/19
_	I	with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
		same (position\$5) same error\$5 same again		1 1 . 40
		same (positionss) same errorss same again	EPO; JPO; DERWENT;	
	_	(1) (25) (25) (25)	IBM_TDB	2004/00/10
-	7		USPAT;	2004/08/19
		with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
		same (position\$5) same error\$5	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	7		USPAT;	2004/08/20
		(original\$5 near4 (imag\$5 document\$5))	US-PGPUB;	15:46
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	(difficult\$5 adj2 scan\$5) with (imag\$5	USPAT;	2004/08/20
		document\$5) same (rescan\$5 scan\$5 adj2	US-PGPUB;	15:50
		again\$5)	EPO; JPO;	
	1		DERWENT;	1
			IBM TDB	
_	15	(difficult\$5) with (imag\$5 document\$5)	USPAT;	2004/08/20
		same (rescan\$5 scan\$5 adj2 again\$5)	US-PGPUB;	15:51
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	2	("20020015176").PN.	USPAT;	2004/08/20
	"	\ 200200101/0 /.IR.	US-PGPUB;	16:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	2	("20020105665").PN.	USPAT;	2004/08/31
-	2	(20020103005").PN.	· ·	10:08
			US-PGPUB;	10:00
			EPO; JPO;	
			DERWENT;	
L	l		IBM_TDB	